

391466

PRODUCT OVERVIEW



USER MANUAL

IMPORTANT SAFETY PRECAUTIONS: Before use please note the following safety precautions. Failure to comply may be dangerous and cause damage to your mobile electronic devices.

- The power bank unit contains an internal 4000mAh lithium polymer battery. Upon initial use or after a prolonged period of storage, fully charge the unit before use. The unit will reach its maximum performance after 2 or 3 full charging and discharging cycles.
- Using an incorrect power adaptor or USB cable could cause damage to both your mobile devices and the Power Bank.
- Do not submerge in water or expose to adverse weather conditions.
- Avoid dropping the device.
- Keep the device away from fire.
- Keep the device out of reach of children.

SPECIFICATIONS:

Capacity: 4000mAh / 3.7V – Lithium Polymer Battery.

Micro USB Input: 5V \equiv 1A.

USB Output : 5V \equiv 1A.

Battery Life: More than 500 charging cycles.

Charge indicator: 4 LEDs

Indicator Button.

Micro USB cable included.

INSTRUCTIONS:

- Indicator light: During the electric charging process of the power bank the blue lights of the charge indicator will start to blink. As the charging process is completing the lights will start to remain solid.

When a mobile device is connected to the power bank the indicator lights will turn on, according to the charge level available on the unit.

During the charge transmission, the power of the portable charging device will decrease and the lights on the charge indicator will start to turn off indicating the remaining charge capacity available. Every light represents 25% of the total charge.

During the solar charging process of the power bank, the red indicator light will remain on. If the solar panel does not receive any kind of light, the indicator light will remain off.

Charging the portable power device:

- Electric Charging: Connect the micro USB connector cable to the (IN) port on the portable charger.
- Solar Charging: Expose the solar pannel of the power bank to the direct sunlight.

Note: Solar charging is a slow process (approximately 100 mAh per hour) and its performance depends on the environmental factors.

- Charging mobile devices: Connect the USB cable to the mobile device using the appropriate connector. Connect the other end of the USB cable to the (OUT) port of the portable charger. Press the button to see the power status of the portable charger. Remove the USB cable at the end of each process.



This symbol both in the product and its user manual indicates that at the end of the devices electrical life, it should be recycled separately from your household waste. There are adequate means to dispose of this material for proper recycling. For more information, contact your local authorities.

CE
MADE IN P R C